











		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	SWL-5DC	5	1	0 ~ ±4 V	±12	Circular	Split core; 15cm cable - 4 wire	Cable mount	16
	SWL-50DC	50	1	0 ~ ±4 V	±12	Circular	Split core; 15cm cable - 4 wire	Cable mount	16
	SWL-100DC	100	1	0 ~ ±4 V	±12	Circular	Split core; 15cm cable - 4 wire	Cable mount	16
	SWL-200DC	200	1	0 ~ ±4 V	±12	Circular	Split core; 15cm cable - 4 wire	Cable mount	24
	SWL-500DC	500	1	0 ~ ±4 V	±12	Circular	Split core; 15cm cable - 4 wire	Cable mount	35
	RAZC-2 Obsolete, Nachfolge RAZC-104CUAN	100	1	1 ~ 4 V	5	Circular	Through hole	PCB mount, horizontal	5
	RAZCH	80	1	1 ~ 4 V	5	Circular	Through hole	PCB mount, horizontal	5
	RAZCHC-15	100	1	1 ~ 4 V	5	Circular	Through hole	PCB mount, horizontal	5

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	RAZCL-104OKAN (replacement for RAZCL-2)	100	1	1 ~ 4 V	5	Circular	Through hole	PCB mount, horizontal	11.5
	RAZC-2-FL	100	0.5	0.9 ~ 4.1V	5	Circular	Cable Mounted	Cable mount	16.5
	RAZFL-553VQCG	55	0.5	0.5 ~ 4.5V	5	Circular	Cable Mounted	Cable mount	16.5
	RAZFL-204CQCG	200	0.5	0.5 ~ 4.5V	5	Circular	Cable Mounted	Cable mount	16.5
	RAZC-2-FL500	500	0.5	0.5 ~ 4.5V	5	Circular	Cable Mounted	Cable mount	27
	RAZFL-105FQCG	1000	0.5	0.5 ~ 4.5V	5	Circular	Cable Mounted	Cable mount	27
	RAZCL-603SHBG	60	0.1	0 ~ ?2.5V (3.3V supply: 0 ~ ?1.65V)	5 (3.3 available)	Circular	Through hole	PCB mount, horizontal	11.5
	RAZCL-603SHAG	60	0.2	0 ~ ?2.5V (3.3V supply: 0 ~ ?1.65V)	5 (3.3 available)	Circular	Through hole	PCB mount, horizontal	11.5



		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	RAZCP	80	0.1	1 ~ 4 V	5	Circular	Through hole	PCB mount, horizontal	5
	RAZC-204CUAN	200	0.2	0.5 ~ 4.5V	5 (3.3 available)	Circular	Through hole	PCB mount, horizontal	5
	RAZCi-603SHBG	60	0.1	0 ~ 2.5V (3.3V supply: 0 ~ 1.65V)	5 (3.3 available)	Partly Circular	Other	PCB mount, vertical	6.5
	RAZCi-603SHAG	60	0.2	0 ~ 2.5V (3.3V supply: 0 ~ 1.65V)	5 (3.3 available)	Partly Circular	Other	PCB mount, vertical	5.5
	RAZCi-453SHAN	45	0.2	0 ~ 2.5V (3.3V supply: 0 ~ 1.65V)	5 (3.3 available)	Other	Other	PCB mount, vertical	Check data sheet for exact value
	RAZL-1500-FAM	1000	1	0 ~ 4 V	5	Other	Other	Screw mount	Check data sheet for exact value
	RAZL-1500-TAM	1000	1	0 ~ 4 V	5	Other	Other	Screw mount	Check data sheet for exact value
	RAZU-2	60	1	1.5 ~ 3.5 V	5	Rectangular	Through hole	PCB mount, horizontal	Check data sheet for exact value


		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	RAZV060-2 obsolet, neu RAZV-103XKAN	10	1	1.5 ~ 3.5 V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	RAZV120-2 neu RAZV-502XKAN	5	1	1.5 ~ 3.5 V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	RAZV152-2 obsolet, neu RAZV-400XKAN	0.04	1	1.5 ~ 3.5 V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	RAZV301-2 neu RAZV-201XKAN	0.2	1	1.5 ~ 3.5 V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	RAZV600-2 obsolet, neu RAZV-102XKAN	1	1	1.5 ~ 3.5 V	5	Intrusive	Other	PCB mount, vertical	Check data sheet for exact value
	RAZP-2000	2000	0.1	0.5 ~ 4.5V	5	Other	Other	Screw mount	Check data sheet for exact value
	YA756-THG	200	1	0.5 ~ 4.5V	5	Circular	Through hole	PCB mount, horizontal	21
	YA856-THG	300	1	0.5 ~ 4.5V	5	Circular	Through hole	PCB mount, horizontal	21 mm, Check data sheet for exact value

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	YF655-HHX	10	0.1	-4 ~ 4 V	15	Intrusive	Intrusive	PCB mount, vertical	21 mm, Check data sheet for exact value
	YF655-THX	10	1	-4 ~ 4 V	15	Intrusive	Intrusive	PCB mount, vertical	21 mm, Check data sheet for exact value
	YF655-XHX	10	0.1	1.875 ~ 3.125 V	5	Intrusive	Intrusive	PCB mount, vertical	21 mm, Check data sheet for exact value
	YF675-HHX	12.5	0.1	-4 ~ 4 V	15	Intrusive	Intrusive	PCB mount, vertical	32 mm, Check data sheet for exact value
	YF675-THX	12.5	1	-4 ~ 4 V	15	Intrusive	Intrusive	PCB mount, vertical	32 mm, Check data sheet for exact value
	YF605-HHX	15	0.1	-4 ~ 4 V	15	Intrusive	Intrusive	PCB mount, vertical	9.5 mm, Check data sheet for exact value
	YF605-THX	15	1	-4 ~ 4 V	15	Intrusive	Intrusive	PCB mount, vertical	9.5 mm, Check data sheet for exact value
	YF755-HHX	20	0.1	-4 ~ 4 V	15	Intrusive	Intrusive	PCB mount, vertical	9.5 mm, Check data sheet for exact value


		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	YF755-THX	20	1	-4 ~ 4 V	15	Intrusive	Intrusive	PCB mount, vertical	10 mm, Check data sheet for exact value
	YF0W5-HHX	5	0.1	-4 ~ 4 V	15	Intrusive	Intrusive	PCB mount, vertical	20 mm, Check data sheet for exact value
	YF0W5-THX	5	1	-4 ~ 4 V	15	Intrusive	Intrusive	PCB mount, vertical	20 mm, Check data sheet for exact value
	YF2W0-HHX	7.5	0.1	-4 ~ 4 V	15	Intrusive	Intrusive	PCB mount, vertical	20 mm, Check data sheet for exact value
	YG756-THX	200	1	-4 ~ 4 V	15	Rectangular	Through hole	Conductor rail mounted	13.5 mm, Check data sheet for exact value
	YG956-THX	400	1	-4 ~ 4 V	15	Rectangular	Through hole	Conductor rail mounted	16 mm, Check data sheet for exact value
	YG156-THX	600	1	-4 ~ 4 V	15	Rectangular	Through hole	PCB mount, horizontal	16 mm, Check data sheet for exact value
	YG356-THX	800	1	-4 ~ 4 V	15	Rectangular	Through hole	PCB mount, horizontal	21

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	YH656-THX	100	1	-4 ~ 4 V	15	Other	Other	PCB mount, vertical	21
	YH756-THX	200	1	-4 ~ 4 V	15	Other	Other	PCB mount, vertical	21
	YH856-THX	300	1	-4 ~ 4 V	15	Other	Other	PCB mount, vertical	21
	YH956-THX	400	1	-4 ~ 4 V	15	Other	Other	PCB mount, vertical	21
	YN656-HHX	100	0.1	-75 ~ 75 mA (AC)	15	Rectangular	Through hole	PCB mount, vertical	32
	YM055-HHX	50	0.1	1:1000 i/o ratio	15	Rectangular	Through hole	Screw mount	32
	YR656-THX	100	1	-4 ~ 4 V	15	Circular	Split core	Screw mount	32
	YR756-THX	200	1	-4 ~ 4 V	15	Circular	Split core	Screw mount	32


		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	YR856-THX	300	1	-4 ~ 4 V	15	Circular	Split core	Screw mount	32
	YR956-THX	400	1	-4 ~ 4 V	15	Circular	Split core	Screw mount	32
	YR055-THX	50	1	-4 ~ 4 V	15	Circular	Split core	Screw mount	6.5 mm, Check data sheet for exact value
	YS657-THX	1000	1	-4 ~ 4 V	15	Rectangular	Split core	Conductor rail mounted	6.5 mm, Check data sheet for exact value
	YS856-THX	300	1	-4 ~ 4 V	15	Rectangular	Split core	Conductor rail mounted	9.5
	YS056-THX	500	1	-4 ~ 4 V	15	Rectangular	Split core	Conductor rail mounted	9.5
	YS156-THX	600	1	-4 ~ 4 V	15	Rectangular	Split core	Conductor rail mounted	9.5
	YW656-THX	100	0.5	-4 ~ 4 V	15	Circular	Through hole	Screw mount	9.5





		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	YW756-THX	200	0.5	-4 ~ 4 V	15	Circular	Through hole	Screw mount	9.5
	YW856-THX	300	0.5	-4 ~ 4 V	15	Circular	Through hole	Screw mount	32 mm, Check data sheet for exact value
	YW956-THX	400	0.5	-4 ~ 4 V	15	Circular	Through hole	Screw mount	32 mm, Check data sheet for exact value
	YW056-THX	500	0.5	-4 ~ 4 V	15	Circular	Through hole	Screw mount	32 mm, Check data sheet for exact value
	YW156-THX	600	0.5	-4 ~ 4 V	15	Circular	Through hole	Screw mount	32 mm, Check data sheet for exact value
	YF705-HHX	25	0.1	-4 ~ 4 V	15	Other	Coil in series	PCB mount, vertical	Check data sheet for exact value
	YF705-XHX	25	0.1	1.875 ~ 3.125 V	15	Other	Coil in series	PCB mount, vertical	Check data sheet for exact value
	YF055-THX	50	1	-4 ~ 4 V	15	Other	Coil in series	PCB mount, vertical	10

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	YG657-THX	1000	1	-4 ~ 4 V	15	Rectangular	Through hole	Conductor rail mounted	20
	YH056-THX	500	1	-4 ~ 4 V	15	Other	Through hole	Screw mount	20
	YI656-THF	100	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	20
	YI6W5-THF	1	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	YI705-THF	25	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	YI855-THF	30	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	YI8W5-THF	3	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	YI055-THF	50	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	YI0W5-THF	5	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	YI3W5-THF	8	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	YI655-THF	10	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	13.5
	YJ656-THF	100	2	-0.1 ~ 0.1 V	4	Circular	Through hole	Cable mount	10
	YL656-HHM	100	0.1	1:2000 i/o ratio	12	Circular	Through hole	Screw mount	20
	YL756-HHM	200	0.1	1:2000 i/o ratio	12	Circular	Through hole	Screw mount	20
	YL856-HHM	300	0.1	1:2000 i/o ratio	12	Circular	Through hole	Screw mount	20
	YS757-THX	2000	1	-4 ~ 4 V	15	Rectangular	Split core	Conductor rail mounted	16

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	PW-ICS-1	1	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	16
	PW-ICS-3	3	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	2.5
	PW-ICS-5	5	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	2.5
	PW-ICS-8	8	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	2.5
	PW-ICS-10	10	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	2.5
	PW-ICS-25	25	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	2.5
	PW-ICS-30	30	1	0.5 ~ 4.5V	5	Other	Other	PCB mount, vertical	2.5
	PW-ICS-50	50	1	0.5 ~ 4.5V	5	Circular	Through hole	PCB mount, vertical	13.5 mm, Check data sheet for exact value

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	PW-ICS-100	100	1	0.5 ~ 4.5V	5	Circular	Through hole	PCB mount, vertical	13.5 mm, Check data sheet for exact value
	YW657-THX	1000	1	-4 ~ 4 V	15	Rectangular	Through hole	Screw mount	Check data sheet for exact value
	YX500-THX	50	1	-4 ~ 4 V	15	Rectangular	Through hole	Screw mount	Check data sheet for exact value
	YX101-THX	100	1	-4 ~ 4 V	15	Rectangular	Through hole	Screw mount	Check data sheet for exact value
	YX201-THX	200	1	-4 ~ 4 V	15	Rectangular	Through hole	Screw mount	Check data sheet for exact value
	YX301-THX	300	1	-4 ~ 4 V	15	Rectangular	Through hole	Screw mount	Check data sheet for exact value
	YX401-THX	400	1	-4 ~ 4 V	15	Rectangular	Through hole	Screw mount	Check data sheet for exact value
	YX501-THX	500	1	-4 ~ 4 V	15	Rectangular	Through hole	Screw mount	Check data sheet for exact value

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	YZ500-THX	50	1	-4 ~ 4 V	15	Circular	Through hole	PCB mount, vertical	16 mm, Check data sheet for exact value
	YZ750-THX	75	1	-4 ~ 4 V	15	Circular	Through hole	PCB mount, vertical	13.5
	YZ101-THX	100	1	-4 ~ 4 V	15	Circular	Through hole	PCB mount, vertical	13.5
	YZ201-THX	200	1	-4 ~ 4 V	15	Circular	Through hole	PCB mount, vertical	16
	YZ301-THX	300	1	-4 ~ 4 V	15	Circular	Through hole	PCB mount, vertical	16
	YB5R0-THX	5	1	-4 ~ 4 V	15	Circular	Through hole	PCB mount, horizontal	2.5
	YB7R5-THX	7	1	-4 ~ 4 V	15	Circular	Through hole	PCB mount, horizontal	2.5
	YB100-THX	10	1	-4 ~ 4 V	15	Circular	Through hole	PCB mount, horizontal	2.5

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	YB150-THX	15	1	-4 ~ 4 V	15	Circular	Through hole	PCB mount, horizontal	2.5
	YB200-THX	20	1	-4 ~ 4 V	15	Circular	Through hole	PCB mount, horizontal	2.5
	YB250-THX	25	1	-4 ~ 4 V	15	Circular	Through hole	PCB mount, horizontal	2.5
	PW-ICS-0.1-SW	0.1	0	LOW / HIGH	5	Intrusive	Other	PCB mount, vertical	6.5
	PW-ICS-0.2-SW	0.2	0	LOW / HIGH	5	Intrusive	Other	PCB mount, vertical	6.5
	PW-ICS-0.3-SW	0.3	0	LOW / HIGH	5	Intrusive	Other	PCB mount, vertical	6.5
	PW-ICS-0.4-SW	0.4	0	LOW / HIGH	5	Intrusive	Other	PCB mount, vertical	6.5
	PW-ICS-0.5-SW	0.5	0	LOW / HIGH	5	Intrusive	Other	PCB mount, vertical	6.5

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	PW-ICS-0.75-SW	0.75	0	LOW / HIGH	5	Intrusive	Other	PCB mount, vertical	6.5
	PW-ICS-1-SW	1	0	LOW / HIGH	5	Intrusive	Other	PCB mount, vertical	6.5
	PW-ICS-2-SW	2	0	LOW / HIGH	5	Intrusive	Other	PCB mount, vertical	6.5
	PW-ICS-3-SW	3	0	LOW / HIGH	5	Intrusive	Other	PCB mount, vertical	6.5
	PW-ICS-4-SW	4	0	LOW / HIGH	5	Intrusive	Other	PCB mount, vertical	6.5
	PW-ICS-5-SW	5	0	LOW / HIGH	5	Circular	Through hole	PCB mount, vertical	13.5
	PW-ICS-46-SW	46	0	LOW / HIGH	5	Circular	Through hole	PCB mount, vertical	13.5
	HJ-AJ12-14BS3-0.5/500V*1A	1	0.5	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5





		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	HJ-AJ12-14BS3-0.5/500V*5A	5	0.5	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ12-14BS3-0.5/500V*15A	15	0.5	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ12-14BS3-0.5/500V*25A	25	0.5	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ12-14BS3-0.5/500V*50A	50	0.5	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ52-14BS3-0.5/500V*1A	1	0.5	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ52-14BS3-0.5/500V*5A	5	0.5	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ52-14BS3-0.5/500V*15A	15	0.5	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ52-14BS3-0.5/500V*25A	25	0.5	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	HJ-AJ52-14BS3-0.5/500V*50A	50	0.5	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AI12-14BS3-0.2/1A	1	0.2	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AI12-14BS3-0.2/5A	5	0.2	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AI12-14BS3-0.2/15A	15	0.2	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AI12-14BS3-0.2/25A	25	0.2	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AI12-14BS3-0.2/50A	50	0.2	RS-485/ASCII	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ12-34BS3-0.5/500V*1A	1	0.5	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ12-34BS3-0.5/500V*5A	5	0.5	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	HJ-AJ12-34BS3-0.5/500V*15A	15	0.5	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ12-34BS3-0.5/500V*25A	25	0.5	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ52-34BS3-0.5/500V*1A	1	0.5	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ52-34BS3-0.5/500V*5A	5	0.5	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ52-34BS3-0.5/500V*15A	15	0.5	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ52-34BS3-0.5/500V*25A	25	0.5	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AJ52-34BS3-0.5/500V*50A	50	0.5	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AI12-34BS3-0.2/1A	1	0.2	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	HJ-AI12-34BS3-0.2/5A	5	0.2	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AI12-34BS3-0.2/15A	15	0.2	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5
	HJ-AI12-34BS3-0.2/50A	50	0.2	RS-485/MODBUS	24	Circular	Through hole	DIN-Rail	6.5
	KIFEHY-11K	0.8	1	±5V	±15V	11mm	Other	PCB mount	11mm
	RAZ3-800AMAG	0.08	2	1.5 ~ 3.5 V	5	Other	Through hole	PCB mount, vertical	Check data sheet for exact value
	RAZ3-801AMAG	0.8	2	1.5 ~ 3.5 V	5	Other	Through hole	PCB mount, vertical	Check data sheet for exact value
	RAZ3-802AMAG	8	2	1.5 ~ 3.5 V	5	Other	Through hole	PCB mount, vertical	Check data sheet for exact value
	RAZ3-203AMAG	20	2	1.5 ~ 3.5 V	5	Other	Through hole	PCB mount, vertical	Check data sheet for exact value

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	RAZ3-803AMAG	80	2	1.5 ~ 3.5 V	5	Other	Through hole	PCB mount, vertical	Check data sheet for exact value
	RAZFL-553VLCG	55	2	1.5 ~ 3.5 V	5	Other	Cable Mounted	PCB mount, vertical	Check data sheet for exact value
	RAZFL-104BMCG	100	2	1.5 ~ 3.5 V	5	Other	Cable Mounted	PCB mount, vertical	Check data sheet for exact value
	RAZFL-204CMCG	200	2	1.5 ~ 3.5 V	5	Other	Cable Mounted	PCB mount, vertical	Check data sheet for exact value
	RAZFL-504MMCG	500	2	1.5 ~ 3.5 V	5	Other	Cable Mounted	PCB mount, vertical	Check data sheet for exact value
	RAZFL-105FMCG	1000	2	1.5 ~ 3.5 V	5	Other	Cable Mounted	PCB mount, vertical	Check data sheet for exact value
	RAZC-104OTAJ	100		1.5 ~ 3.5 V	5	Circular	Through hole	PCB mount, vertical	5.1
	RAZCP-3T-21	17		1.5 ~ 3.5 V	5	Circular	Through hole	PCB mount, vertical	Check data sheet for exact value

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	RAZV-153XKAN	15		1.5 ~ 3.5 V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	RAZV-103XKAN	10		1.5 ~ 3.5 V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	RAZV-502XKAN	5		1.5 ~ 3.5 V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	RAZV-102XKAN	1		1.5 ~ 3.5 V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	RAZV-201XKAN	0.2		1.5 ~ 3.5 V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	RAZV-400XKAN	0.04		1.5 ~ 3.5 V	5	Other	Other	PCB mount, vertical	Check data sheet for exact value
	YV655-HHN	10	1	12±8 mA	±12~±15 (±5%)	Circular	Through hole	Screw mount	Check data sheet for exact value
	YV055-HHN	50	1	12±8 mA	±12~±15 (±5%)	Circular	Through hole	Screw mount	Check data sheet for exact value

		Measuring range [A]	Error [%]	Output signal	Supply voltage [V]	Opening form	Case type	Mounting	Opening diameter [mm]
	YR056-THX	50	1	-4 ~ 4 V	15	Circular	Split core	Screw mount	6.5 mm, Check data sheet for exact value
	YKxxx-HHF	0.1; 0.2; 0.3; 0.4; 0.5	1	12~±8 mA	±12~±15 V	Circular	Split core	Screw mount	19±0.5 mm
	YKxxx-HHG	0.1; 0.2; 0.3; 0.4; 0.5	1	0~±5 V	±12~±15 V	Circular	Split core	Screw mount	19±0.5 mm
	RAZC-104CUAN	100	1	1 ~ 4 V	5	Circular	Through hole	PCB mount, horizontal	5

We are here for you. Addresses and Contacts.

Headquarter Switzerland:

Angst+Pfister Sensors and Power AG
Thurgauerstrasse 66
CH-8050 Zurich
Phone +41 44 877 35 00
sensorsandpower@angst-pfister.com

Office Germany:

Angst+Pfister Sensors and Power Deutschland GmbH
Edisonstraße 16
D-85716 Unterschleißheim
Phone +49 89 374 288 87 00
sensorsandpower.de@angst-pfister.com

Scan here and get an overview of personal contacts!



sensorsandpower.angst-pfister.com