



		Linear Range [Oe]	Saturation [Oe]	Typical Sensitivity [mV/V/Oe]	Maximum Hysteresis [% Uni.]	Max. Op. Temp. [°C]	Typical Bridge Resistance [k?]	Axis of Sensitivity	Package
	**AA002-02E**	1.5 - 10.5	15	3.6	4	125	5	standard-axis	SOIC8
	**AA003-02E**	2 - 14	20	2.6	4	125	5	standard-axis	SOIC8
	**AA004-00E**	5 - 35	50	1	4	125	5	standard-axis	MSOP8
	**AA004-02E**	5 - 35	50	1	4	125	5	standard-axis	SOIC8
	**AA004-10E**	5 - 35	50	1	4	125	5	standard-axis	TDFN6
	**AA005-00E**	10 - 70	100	0.5	4	125	5	standard-axis	MSOP8
	**AA005-02E**	10 - 70	100	0.5	4	125	5	standard-axis	SOIC8
	**AA006-02E**	5 - 35	50	1	4	125	30	standard-axis	SOIC8

		Linear Range [Oe]	Saturation [Oe]	Typical Sensitivity [mV/V/Oe]	Maximum Hysteresis [% Uni.]	Max. Op. Temp. [°C]	Typical Bridge Resistance [k?]	Axis of Sensitivity	Package
	**AA024-00E**	5 - 35	50	1	4	125	5	Cross-axis	MSOP8
	**AAH002-02E**	0.6 - 3	6	15	15	150	2	standard-axis	SOIC8
	**AAH004-00E**	1.5 - 7.5	15	4	15	150	2	standard-axis	MSOP8
	**AAK001-14E**	400 - 2500	4000	0.0033	4	85	3.5	standard-axis	ULLGA4
	**AAL002-02E**	1.5 - 10.5	15	3.5	2	125	2.2	standard-axis	SOIC8
	**ALT023-10E**	from -10 to +10	15	20	5	125	20	Cross-axis	TDFN6
	**ALT025-10E**	from -100 to +100	300	2	1	125	20	Cross-axis	TDFN6

Angst+Pfister
Sensors and Power

We are here for you. Addresses and Contacts.

Headquarter Switzerland:

Angst+Pfister Sensors and Power AG
Thurgauerstrasse 66
CH-8050 Zurich
Phone +41 44 877 35 00
sensorsandpower@angst-pfister.com

Office Germany:

Angst+Pfister Sensors and Power Deutschland GmbH
Edisonstraße 16
D-85716 Unterschleißheim
Phone +49 89 374 288 87 00
sensorsandpower.de@angst-pfister.com

Scan here and get an overview of personal contacts!

sensorsandpower.angst-pfister.com