

Description

US Digital offers a wide variety of standard rotary encoder disks. They may be ordered as a stand alone disk (see below) or as a codewheel (see the Disks page). These rotary encoder disks are made from mylar polyester film. This material allows for a wide temperature range and is virtually unbreakable. There is no minimum order.

DISK-2 has an outer diameter (OD) of 2". The optical radius of the disk is .920". The optical radius is defined as the distance from the center of the disk to the middle of the quadrature track. We recommend that the shaft or hub diameter the disk is designed to fit be .001" to .002" larger than the disk hole diameter (ID). This gives an interference fit that ensures disk concentricity. The drawings shown represent our standard disks.

The maximum allowed RPM of the disk is typically limited by the maximum output frequency of the encoder module. The maximum allowed RPM is calculated as follows:

$$\text{Max. RPM} = (60 * F_{\text{max}}) / \text{CPR}$$

Where F_{max} = maximum encoder module output frequency and CPR is the Cycles per Revolution of the disk.

Only the No Index, EM1 Compatible option (NE) is available with the 64 CPR option. Other resolutions are available with or without an index track.

Mechanical alignment drawings for optical encoder rotary disks and optical encoder modules are available (see the EM1 page).

Mechanical Drawing



Features

- 2" Outside Diameter
- .920" Optical Radius
- Up to 10000 CPR
- Index track option

Rev. 141007083752





DISK-2 2" Transmissive Rotary Disk

Page 2 of 3



DISK-2 2" Transmissive Rotary Disk



RELEASE DATE: 10/10/2011

US DIGITAL 1400 NE 138th Avenue
 Vancouver, Washington 98684, USA

info@usdigital.com
 www.usdigital.com

Local: 360.260.2468
 Toll-free: 800.736.0194

UNITS: INCHES (MM)
 METRIC SHOWN FOR REFERENCE ONLY

Specifications

Inside Diameter (ID) tolerance	±0.004"
Outside Diameter (OD)	2" ± 0.010"
Thickness	0.007"
Temperature Range	-40C to 100C

Rev. 141007083752



DISK-2 2" Transmissive Rotary Disk

Page 3 of 3



Ordering Information

DISK-2 - - -

CPR	ID	Index
64 =	093 =.093"	NE =No Index (3rd Channel), EM1 Compatible
100 =	125 =.125"	
200 =	375 =.375"	IE =Index (3rd Channel), EM1 Compatible
400 =	441 =.441"	
500 =	472 =.472"	
512 =	500 =.500"	
1000 =	551 =.551"	
1024 =	625 =.625"	
1800 =	750 =.750"	
2000 =	875 =.875"	
2048 =	984 =.984"	
2500 =	1000 =1.00"	
3600		
4000		
4096		
5000		
7200		
8000		
8192		
10000		

Notes

- US Digital warrants its products against defects in materials and workmanship for two years. See complete warranty for details.

Rev. 141007083752

Headquarter Switzerland:
Angst+Pfister Sensors and Power AG

Thurgauerstrasse 66
CH-8050 Zurich
Phone +41 44 877 35 00
sensorsandpower@angst-pfister.com

Office Germany:
Angst+Pfister Sensors and Power
Deutschland GmbH
Edisonstraße 16
D-85716 Unterschleißheim
Phone +49 89 374 288 87 0
sensorsandpower.de@angst-pfister.com



We are here for you. Addresses and Contacts.

Sales Germany & Austria

Geometrical sensors
Other products

Kurt Stritzelberger
Phone +49 89 374 288 87 22
kurt.stritzelberger@angst-pfister.com

Pressure sensors
Other products

Gerhard Vetter
Phone +49 89 374 288 87 26
gerhard.vetter@angst-pfister.com

Gas sensors and modules

Peter Felder
Phone +41 44 877 35 05
peter.felder@angst-pfister.com

Sales Switzerland & Liechtenstein

Postcode 3000 – 9999

Basil Frei
Phone +41 44 877 35 18
basil.frei@angst-pfister.com

Postcode 1000 – 2999

Christian Mohrenstecher
Phone +41 76 444 57 93
christian.mohrenstecher@angst-pfister.com

Sales International Key Accounts

Peter Felder
Phone +41 44 877 35 05
peter.felder@angst-pfister.com

Sales Other Countries / Product Management

Pressure Sensors
Load Cells

Philipp Kistler
Phone +41 44 877 35 03
philipp.kistler@angst-pfister.com

Gas sensors
Gas sensor modules

Dr. Thomas Clausen
Phone +49 89 374 288 87 24
thomas.clausen@angst-pfister.com

Flow / Level / Medical products

Dr. Adriano Pittarelli
Phone +49 89 374 288 87 67
adriano.pittarelli@angst-pfister.com

Power supplies

Sebastiano Leggio
Phone +41 44 877 35 06
sebastiano.leggio@angst-pfister.com

Linear position sensors
Angle sensors

Eric Letsch
Phone +41 44 877 35 14
eric.letsch@angst-pfister.com

Accelerometers
Sensor elements

Christoph Kleye
Phone +49 89 374 288 87 61
christoph.kleye@angst-pfister.com

Drive technology
CH Postcode 5000 – 9999 / DE

Roman Homa
Phone +41 76 444 00 86
roman.homa@angst-pfister.com

Drive technology
CH Postcode 1000 – 4999 / AT / IT / FR

Christian Mohrenstecher
Phone +41 76 444 57 93
christian.mohrenstecher@angst-pfister.com

Harald Thomas
Phone +49 89 374 288 87 23
harald.thomas@angst-pfister.com