



DIN RAIL POWER SUPPLIES

AC-DC SWITCHING POWER SUPPLY



IS SERIES
HIGH
PERFORMANCE



COMPACT DIN RAIL PACKAGE

Convenient installation on 35mm DIN rail, parallel operation, over voltage protection, over current protection, led indicator for power status, PFC options, certified to UL, CUL, CB and CE, 3 year warranty.


Input Range	Output Range	Output Power
Universal (90~264VAC)	5, 12, 15, 24, 48VDC	15W, 30W, 50W, 70W, 120W, 180W, 240W, 480W

SERIES OVERVIEW

	Input Range	Series	Power (W)	Output (Vdc)	Size WxHxD (mm)	Size WxHxD (inch)
IS SERIES SINGLE OUTPUT	Universal (90 ~ 264VAC)	IS-15	15	12, 15, 24	22.5 x 95 x 108	0.89 x 3.74 x 4.25
		IS-30	30	5, 12, 15, 24	36 x 95 x 108	1.42 x 3.78 x 4.25
		IS-50	50	12, 24, 48	30 x 130 x 125	1.18 x 5.12 x 4.92
		IS-70	70	12, 15, 24, 48	33 x 130 x 125	1.30 x 5.12 x 4.92
		IS-120	120	12, 15, 24, 48	40 x 130 x 125	1.57 x 5.12 x 4.92
		IS-180	180	24, 48	50 x 130 x 125	1.97 x 5.12 x 4.92
		IS-240	240	24, 48	60 x 130 x 125	2.36 x 5.12 x 4.92
		IS-480	480	24, 48	60 x 130 x 125	2.36 x 5.12 x 4.92

RELIABLE POWER SOLUTIONS

MODEL NUMBER STRUCTURE



FEATURES

- Compact size
- Universal AC input full range
- Installation on DIN rail 35mm only
- Over voltage protection
- Over current protection
- LED indicator for DC power ON (Green)
- LED indicator for DC low (Red)
- 3 year warranty

WHAT DO WE EXPECT FROM FUTURE ENERGY?

Cleaner, smarter, more reliable, and higher efficiency, or we want them all for good. That costs for technological competence, manufacturing capability, strength of resource integration, and experience. Pairui is well up for this.



WE SERVE INDUSTRIAL APPLICATIONS



PAIRUI has been offering quality switching power supplies and magnetic components to the global market for more than 30 years. As a vertically integrated company, PAIRUI is able to offer quality products at a very competitive price, and design unique products to fit your most demanding needs. PAIRUI's goal is to be your trusted power partner.

We are here for you. Addresses and Contacts.

Headquarter Switzerland:

Angst+Pfister Sensors and Power AG
Thurgauerstrasse 66
CH-8050 Zurich
Phone +41 44 877 35 00
sensorsandpower@angst-pfister.com

Office Germany:

Angst+Pfister Sensors and Power Deutschland GmbH
Edisonstraße 16
D-85716 Unterschleißheim
Phone +49 89 374 288 87 00
sensorsandpower.de@angst-pfister.com

Scan here and get an overview of personal contacts!



sensorsandpower.angst-pfister.com
