


### Assembly with NTC temperature sensor

### TA-NTC-CS025-D07-CL0305P

R25=5KΩ +-1%  
 B25/85=3270K



The sensor was created specifically for applications in which an extremely fast response time with high accuracy was required. In addition, the sensor housing, cable, and everything else can be customized (see order checklist). Contact us directly to offer you the best fitting product.


**Order code:**  
 TA-NTC-CS025-D07-CL0305P

**Sensor technology**  
 NTC

**Case size (length)**  
 CS025 [mm]

**Case diameter**  
 D07 [mm]

**Cable length**  
 CL0305 [mm]  
**&**  
**Material**  
 P PVC (up to 80°C)



## Specific data of the sensor assembly

### Sensor element:

Type: NTC

Resistance at 25°C: 5K $\Omega$   $\pm$ 1%

B25/85: 3270K

### Cable specifications:

Wire: 26 AWG

Wire type: UL2651

Wire colour: yellow

Wire length: 305mm

End of wire: open end, tinned

Temperature: -40°C to 85°C

Circuitry: 2-Wire

## We are here for you. Addresses and Contacts.

---

### Headquarter Switzerland:

Angst+Pfister Sensors and Power AG  
Thurgauerstrasse 66  
CH-8050 Zurich  
Phone +41 44 877 35 00  
[sensorsandpower@angst-pfister.com](mailto:sensorsandpower@angst-pfister.com)

### Office Germany:

Angst+Pfister Sensors and Power Deutschland GmbH  
Edisonstraße 16  
D-85716 Unterschleißheim  
Phone +49 89 374 288 87 00  
[sensorsandpower.de@angst-pfister.com](mailto:sensorsandpower.de@angst-pfister.com)

---

Scan here and get an overview of personal contacts!



[sensorsandpower.angst-pfister.com](https://sensorsandpower.angst-pfister.com)

---